



②

**FINAL TECHNICAL REPORT**

RESEARCH GRANT NO. N00014-89-J-1649  
R+T PROJECT:4229026---01  
S.O. CODE;1122SS  
DISBURSING CODE:N00179  
AGO CODE: N66005

PROGRAM MANAGER: ALAN BRANDT

PRINCIPAL INVESTIGATOR: BARRY RUDDICK  
DEPARTMENT OF OCEANOGRAPHY  
DALHOUSIE UNIVERSITY  
HALIFAX, NOVA SCOTIA, CANADA

**DTIC**  
**ELECTE**  
**S D D**  
JAN 23 1992

**TITLE**

Dynamics of Frontal Intrusions and their effects on a Mediterranean Salt Lens.

**LONG-TERM GOALS**

Parameterisation of the structure, amplitude, and mixing rate of finite-amplitude lateral intrusions. These occur at most oceanic fronts, including the Gulf Stream, and drive cross-frontal mixing. The highly structured quasi-horizontal sound speed perturbations may strongly affect acoustic propagation across such fronts.

**SPECIFIC OBJECTIVES**

1. To understand the role of vertical mixing of salt, heat, mass, and momentum in driving lateral intrusions.
2. To predict the scale, structure, and magnitude of finite-amplitude intrusive features in terms of mesoscale gradients.
3. To predict the rate of lateral transport of salt, heat, and momentum caused by intrusive mixing at oceanic fronts.

**APPROACH AND TASKS**

1. To follow the Meddy "Sharon" intrusions across isopycnals and compare slopes with those predicted by linear models in order to determine their dynamical driving mechanisms.
2. To map the scales and structures of the Meddy "Sharon" intrusions, and investigate changes over the period of observation.
3. To develop a simple numerical model of finite amplitude intrusions.
4. To use the numerical model and associated theoretical modelling to understand the finite-amplitude balances which control lateral fluxes.

This document has been approved  
for public release and sale; its  
distribution is unlimited.



## TASKS COMPLETED

### 1. Achieved. (Accomplishment 1)

2. Achieved. The vertical wavelength and intensity of intrusive interleaving has been mapped out for each of the Meddy surveys. A paper describing the intrusion structure and its time evolution is in preparation.

3. Achieved. A one-dimensional numerical model of finite-amplitude thermohaline intrusions has been developed, and is currently being tested to ensure that it successfully reproduces the properties of the known linear instabilities. The model assumes that the front is wide enough that the intrusion dynamics are predominantly one-dimensional, with layers which move quasi-horizontally along a sloping path. Quasi-vertical mixing of salt, heat, and momentum is parameterized in terms of the local vertical gradients of salt, heat, and momentum. Small-amplitude intrusions are allowed to grow until the local gradients are strongly modified, and the fluxes change so as to achieve a finite-amplitude, nonlinear balance, with steady cross-frontal velocities and intrusion amplitudes.

4. In progress. This task could not begin until the numerical model was ready.

## RESULTS

1. The scale and slopes of the intrusions were found to support theoretical models of thermohaline driving, and showed definitively that the intrusions were NOT driven by the McIntyre mechanism (differential diffusion of momentum and mass). (Ruddick, 1991a)

2. (a.) The intrusions had longer vertical wavelength in the lower part of the Meddy than in the upper part. (b.) We found that it was possible to observe the perturbations in density which drove the intrusive motions (see accomplishment 2).

## MAJOR SCIENTIFIC ACCOMPLISHMENTS

1. In one closely-spaced sequence of stations, individual intrusions were tracked across isopycnals. The pattern and magnitude of intrusion slopes proved that the McIntyre (1971) mechanism involving differential diffusion of momentum and mass did not drive the Meddy intrusions. The slope pattern and magnitude supported current ideas of lateral intrusions driven by vertical double-diffusive fluxes. (Ruddick, 1991a, 1991b)

2. We are able to "see" the density perturbations which drove the intrusions! In most CTD stations from the Meddy intrusions, small perturbations in vertical density gradient were found to correlate with the local vertical "spiciness" gradient (indicative of double-diffusion). The phase relation between the two changed sign with the intrusion slope, and strongly supports the contention that these density perturbations are real, not instrumental, and drove the intrusions up-or down-slope. We plan in the near future to use these results to quantify the frictional forces acting within the intrusions.

## ONR-SPONSORED PUBLICATIONS AND PRESENTATIONS

P Brickman, D., and B. Ruddick, 1990: The behaviour and stability of a lens in a strain field. *J. Geophys. Res.*, 95, 9657-9670.

P Hebert, D., N. Oakey, and B. Ruddick, 1991: Evolution of a Mediterranean salt lens: scalar properties. *J. Phys. Oceanogr.*, 20, 1468-1483.

PS McDougall, T.J., and B. R. Ruddick, 1991: The use of microstructure data to quantify both turbulent mixing and salt fingering. Deep-Sea Res., in press.

PS Ruddick, B. R., 1991a: Intrusive mixing in a Mediterranean salt lens - intrusion slopes and dynamical mechanisms. In press, J. Phys. Oceanogr.

R,IC Ruddick, B., 1991b: What drove the intrusions that mixed Meddy "Sharon"? Proceedings of the "Double diffusion in Oceanography" conference, Woods Hole, MA. W.H.O.I. Tech. Report, R. Schmitt, ed.

R Ruddick, B., 1991c: Report on the discussion session of diffusive thermohaline convection. Proceedings of the "Double diffusion in Oceanography" conference, Woods Hole, MA. W.H.O.I. Tech. Report, R. Schmitt, ed.

R Ruddick, B.R., D. Hebert, 1991: Mediterranean salt lenses. In: "Encyclopedia of Earth Systems Science", William A. Nierenberg, Ed.

PI Ruddick, B. R., 1991d: Salinity-density correlations observed in lateral thermohaline intrusions.

PI Ruddick, B.R., 1991e: Structure and time evolution of lateral intrusions in a Mediterranean salt lens.

C Ruddick, B. and T.J. McDougall, 1991: How to interpret microstructure data from turbulence and salt fingers. Presented at the Oceanography Society Conference, March, 1991.

C Ruddick, B.R., "Intrusion slopes and dynamics in a Mediterranean salt lens, 1991: Presented at the Canadian Meteorological and Oceanographic Society Congress, June, 1991.

IC Brickman, D.: The behaviour and stability of a lens in a strain field. Presented at the "Vortices in the ocean" meeting, Hanover, N.H., Fall, 1990.

P refereed publication published  
PS paper submitted  
PI paper in preparation  
R technical report  
C presentation at technical conference  
IC invited presentation at conference

Statement A per telecon  
Alan Brandt ONR/Code 1122  
Arlington, VA 22217-5000

Nww 1/22/92

DTIC  
ONR  
INSPECTION

Accession #	
NTIS	CRAS
DTIC	TA
Unannounced	
Justification	
By	
Distribution	
Availability	
Dist	Avail
A-1	